




GPL Lamp Holders

Quality is the virtue of design



ESTABLISHED
SINCE 1948

B 15 BRASS SHEET LAMPHOLDERS



GP-015: B-15 Brass Lampholder, 10mm or 1/2" entry thread, with shade ring and earth tag.

GP-015P: B-15 Brass Lampholder, 10mm or 1/2" entry thread, without shade ring and with earth tag.

GP-015BT: B-15 Brass Batten Lampholder with shade ring and earth tag.


GP-014: B-15 Brass Lampholder, 10mm or 1/2" entry thread, with shade ring and without earth tag.

GP-014P: B-15 Brass Lampholder, 10mm or 1/2" entry thread, without shade ring and earth tag.

GP-014BT: B-15 Brass Batten Lampholder with shade ring and without earth tag.

Insert options - Nylon & Ceramic

B 22 BRASS SHEET LAMPHOLDERS



GP-018B: B-22 Brass Lampholder, 10mm or 1/2" entry thread, with shade ring and earth tag.

GP-018BP: B-22 Brass Lampholder, 10mm or 1/2" entry thread, without shade ring and with earth tag.

GP-018BT: B-22 Brass Batten Lampholder with shade ring and earth tag.


GP-016B: B-22 Brass Lampholder, 10mm or 1/2" entry thread, with shade ring and without earth tag.

GP-016BP: B-22 Brass Lampholder, 10mm or 1/2" entry thread, without shade ring and earth tag.

GP-016BT: B-22 Brass Batten Lampholder with shade ring and without earth tag.

Insert options - Bakelite & Ceramic

B 22 PUSHBAR BRASS SHEET LAMPHOLDERS



Features:

Brass Pushbar Lampholders; manufactured from heavy gauge brass (in 5 parts) Body, Union Ring, Shade Ring, Barrel and incorporating a Phenolic heat resistant insert as standard, designed to give a long lasting working life.

B22 BRASS PUSHBAR LAMPHOLDERS

GP-091: B-22, Brass Pushbar Lampholder 10mm or 1/2" entry thread

Finishes available : White nickel, black nickel, antique bronze & chrome


B 22 CANDLE ALUMINIUM SHEET LAMPHOLDERS



GP-04B: B-22 Candle Lampholder, 10mm entry thread with earth tag.

GP-05B: B-22 Candle Lampholder, 10mm entry thread without earth tag.

Insert options - Bakelite & Ceramic





B 22 CERAMIC LAMPHOLDERS



GP010 :- B-22 Ceramic Lampholder with 2 internal holes for mounting screw, Current Rating – 2A, 250V.

GP-010BT :- B-22 Ceramic Lampholder with 2 moulded external lugs for screw mounting, Current Rating – 2A, 250V.




E 40 CERAMIC LAMPHOLDERS



GP040 :- E-40 Ceramic Lampholder without bracket, Current Rating – 16A, 750V.

GP041 :-E-40 Ceramic Lampholder with bracket, Current Rating – 16A, 750V.



E 27 BRASS SHEET LAMPHOLDERS




GP027/E-B

Plain Barrel with Cord grip, Current Rating – 2A, 250V (T180°)

Plain Barrel with Lock Nut, Current Rating – 2A, 250V (T180°)

Threaded Barrel with Cord grip, Current Rating – 2A, 250V (T180°)

Threaded Barrel with Lock Nut, Current Rating – 2A, 250V (T180°)



E 26 BRASS CASTED LAMPHOLDERS



GPE-2600:- Keyless, Medium Base Lampholder, Current Rating - 660W, 250V.


GPE-2601:- Pull Chain Switch, Medium Base Lampholder, Current Rating - 660W, 250V.

GPE-2602:- 2-Way Rotary Switch, Medium Base Lampholder, Current Rating - 250W, 250V.

GPE-2603:- 3-Way Rotary Switch, Medium Base Lampholder, Current Rating - 250W, 250V.

Finishes available:- Brass polished & lacquered, Nickel plated

Options: 2 way / 3 way / pull switch / without switch versions.



E 26 BRASS CASTED LAMPHOLDERS WITH UNO THREAD





GPE-2600:- Keyless Medium Base Lamholder With UNO thread, Current Rating - 660W, 250V.

GPE-2601:- Pull Chain Switch, Medium Base Lampholder with UNO thread, Current Rating - 660W, 250V.

GPE-2602:- 2-Way Rotary Switch, Medium Base Lampholder with UNO thread, Current Rating - 250W, 250V.

GPE-2603:- 3-Way Rotary Switch, Medium Base Lampholder with UNO thread, Current Rating - 250W, 250V.




E 26 BRASS CASTED LAMPHOLDERS WITH SHADE RING



GPE-2600:- Keyless, Medium Base Lampholder with Shade Ring, Current Rating - 660W, 250V.

GPE-2602:- 2-Way Rotary Switch, Medium Base Lampholder with Shade Ring, Current Rating - 250W, 250V.

GPE-2603:- 3-Way Rotary Switch, Medium Base Lampholder with Shade Ring, Current Rating - 250W, 250V.



E 26 BRASS SHEET LAMPHOLDERS




GPE-2610:- Keyless, Medium Base Lampholder, Current Rating - 660W, 250V.

GPE-2611:- Pull Chain Switch, Medium Base Lampholder, Current Rating - 660W, 250V.

GPE-2612:- 2-Way Rotary Switch, Medium Base Lampholder, Current Rating - 250W, 250V.

GPE-2613:- 3-Way Rotary Switch, Medium Base Lampholder, Current Rating - 250W, 250V.




E 26 BRASS CASTED INCANDESCENT LAMPHOLDERS



GPE-2604

Dimmer type, Medium Base Lampholder, Current Rating - 150W, 120V.

Dimmer type, Medium Base Lampholder with Small UNO thread, Current Rating - 150W, 120V.





MORE PRODUCT BROCHURES



GPL GROUP OF COMPANIES



OFFICE ADDRESS:-

GOLDEN PEACOCK OVERSEAS LTD

Corporate Office : 20A, NSEZ Noida-201305, UP, India

Phone : 0120-4720251/54 mktg@goldenpeakcock.com

Web : www.goldenpeakcock.com

